



Enabling global access to astronomy multimedia resources

Authors:
Lars Lindberg Christensen
Adrienne Gauthier
Robert Hurt
Ryan Wyatt
Bruce Berriman (contributor)
Curtis Wong (contributor)

Virtualastronomy.org

Table of Contents

Table of Contents	- 3 -
Executive Summary	- 5 -
1. The VAMP Vision.....	- 6 -
2. Communicating Astronomy.....	- 7 -
3. The Problem: Haphazard Access to Astronomy Imagery.....	- 8 -
4. The VAMP Solution	- 10 -
VAMP Architecture	- 10 -
Astronomy Visualization Metadata (AVM).....	- 11 -
VAMP Server Database.....	- 11 -
Search and Delivery Strategies	- 12 -
5. VAMP Prototype and Pilot Applications	- 14 -
Museum AstroKiosk.....	- 14 -
Planetarium Visualization	- 14 -
Online Sky Navigation Software	- 14 -
Microsoft's World Wide Telescope 2.0.....	- 15 -
Desktop Planetarium Software	- 16 -
Redshift, Starry Night.....	- 16 -
Stellarium.....	- 16 -
6. VAMP Operations	- 18 -
Steering Committee	- 18 -
Management Work Package.....	- 19 -
Metadata Work Package	- 19 -
Middleware/Core Development Work Package.....	- 20 -

Executive Summary

The Virtual Astronomy Multimedia Project (VAMP) will enable access to, and vastly multiply the use of, astronomy image resources. VAMP will enable innovative future exploitation of all kinds of outreach media by systematically linking resource archives worldwide.

Everyone will agree that a picture says a thousand words, and further that astronomical imagery is awe-inspiring and helps to engage the general public in “science”. Despite the high value of astronomical images there is no standardized way to describe or deliver images in a systematic and simple way in the astronomical outreach community. Each observatory has its own manageable online gallery of images, but each facility has its own way of describing and delivering the images. This makes it difficult for an innovative multimedia project, such as a desktop planetarium program, to integrate the most current images from all the major observatories into their applications. The developer has to make custom tailored software tools to access each observatory’s image database. Furthermore, many astronomical images found online in search engines are separated from the original source and the richness of contextual information from the Education and Public Outreach (EPO) description. Lastly, the standardization of metadata and delivery of images is necessary if the astronomical community is to stay afloat in our soon-to-be “Web 3.0 world”.

VAMP offers a threefold solution to the astronomical community. VAMP manages the Astronomy Visualization Metadata (AVM) standard for astronomical imagery. It is endorsed by the International Virtual Observatory Alliance (IVOA) and is already being used by Spitzer Space Telescope, ESA/Hubble, and Chandra X-Ray observatory. Multimedia and planetarium developers such as Microsoft’s World Wide Telescope, ESO’s Stellarium, California Academy of Sciences, and the American Museum of Natural History are already excited about using the AVM for their applications and pulling images dynamically into interfaces from observatory servers. The AVM is a defined set of metadata fields that includes an exhaustive astronomical object taxonomy and World Coordinate System information. The second essential piece to VAMP is the middleware tool being designed, built, and maintained by the Infrared Science Archive (IRSA) at the Infrared Processing and Analysis Center (IPAC) at Caltech. IRSA will build from existing architecture to create a middleware system that uses push/pull technology to ingest metadata and image locations from compliant observatories. The metadata is organized, indexed, and stored in multiple locations for reliability. The third piece to VAMP is the delivery of the image metadata and locations back out to the public. The VAMP service will be open to anyone wishing to receive AVM style metadata and remote image locations via sophisticated search strategies.

VAMP is a collaborative project between individuals representing the Spitzer Science Center, ESA/Hubble, California Academy of Sciences, IPAC/IRSA, and the University of Arizona. Key personnel at major observatories and end-application development organizations have endorsed the project and are committed to its success. The three main locations for VAMP development will be IPAC in Pasadena, California, USA, ESA/Hubble in Munich, Germany and California Academy of Sciences (CalAcad), San Francisco, USA.

VAMP is organized into four work packages: *Management* managed by Adrienne Gauthier, *Metadata* managed by Robert Hurt, *Middleware/Core Development* managed by Bruce Berriman and *Prototypes* managed by Lars Lindberg Christensen.

1. The VAMP Vision

As a tool to communicate science, astronomy possesses aesthetic and inspirational strengths that make it a compelling conduit for science awareness. Astronomy touches on philosophical questions of great import, including the origin and destiny of our species and the uniqueness of life in the Universe. Space stimulates the human imagination: a superficially peaceful, yet violent arena with exotic phenomena that are counter-intuitive, spectacular, mystifying, and engaging. The science of astronomy moves quickly and delivers new results on a daily basis. For all these reasons, astronomy can lead the way for other natural sciences and be a frontrunner for the communication of science in general.

In a fast-paced connected world, public astronomy communication must follow the pace of the other players in the electronic information mass market, particularly the gaming and entertainment industries. The problem today is not so much the availability of excellent astronomy multimedia resources for use in education and outreach, but rather suitable access to these materials. Both public and professional sectors need better access to images and videos of stars, galaxies or astronomical phenomena.

The idea for VAMP originated to address a need recognized by visualization and communications experts. The daily frustrations of these professionals in locating visual astronomical resources highlighted the lack of any real access and metadata standards across the board. The appeal of developing a sophisticated “one-stop shopping” portal is enhanced by the potential it has to promote access and interest in the field, as well as to become the foundation for future innovative Web 3.0 “Data Web” style application development. Once designed and built, VAMP will allow observatories and others to ingest any future resource that conforms to the suggested standards and make them immediately searchable.

The primary deliverable of VAMP is a database server that indexes, searches, and serves out standardized metadata and education/public outreach image file locations of the world’s research observatories and telescopes. VAMP will utilize the International Virtual Observatory Alliance (IVOA) endorsed outreach metadata standard, Astronomical Visualization Metadata 1.0 (AVM) and help support observatories in adopting and adhering to these standards. This metadata preserves the descriptive context of the imagery that astronomers and communication professionals have laboured hard to create. The standard includes both the metadata schema for describing outreach images and the method by which the metadata may be embedded within the image file. For data-derived images, full World Coordinate System (WCS) tags can be used to describe fully the position, orientation, and scale of the image while allowing for a variety of applications requiring the full coordinate context. VAMP database tools can answer queries utilizing the full extent of this encapsulated metadata allowing for more powerful search capabilities than any existing today for astronomy. Facilitating the adoption of this standard is a necessary element of VAMP and will ensure that astronomy imagery takes the lead in web convergence technologies.

VAMP will provide innovative developers with a tool for simple, standard access to outreach imagery and media from a variety of sources, thus encouraging the creation of the cutting edge applications that today’s technological public demands. In addition, VAMP will design and implement a public friendly interface to the database for the “every person” who is in search of EPO products.

In conclusion, simpler access to astronomical imagery for multimedia and web developers means that more people will be exposed to astronomy and its observatories, space missions and science. More people inspired by the world’s greatest observatories means a better understanding of the overall importance of astronomy, space science, and the exploration of new worlds. This project will benefit teachers, press, scientists, EPO specialists and inspire laypeople and students, our future scientists and engineers.

2. Communicating Astronomy

Astronomy is considered to be the oldest science, yet it remains among the most vigorously advancing disciplines with a constant stream of fundamental discoveries. Through the “eyes” of space telescopes and probes, equipped with cutting-edge electronic instruments, we have traveled to other planets of the Solar System, determined the shape and structure of nebulae, measured distances and the composition of distant galaxies, and continue to revolutionize our understanding of the origins and ultimate fate of the Universe.

The engagement of astronomy enters our lives at many levels. The simple progression of day and night through the seasons proceeds from the Earth’s axial tilt as it orbits the Sun. The tides harmonize with the Moon’s and Sun’s locations in the sky. Careful measurements of the positions of stars have guided sailors to their destinations for millennia. And today, the rich and growing galleries of astronomical imagery continue to engage and interest people in the Universe and their place within it.

Astronomy is very much a gateway for general science interest, in part because of its intrinsically visual nature. Arguably, it is the instantly engaging imagery that can capture the hearts, and ultimately minds, of even the most science-illiterate public. The Hubble Space Telescope has become a household name not because of its impressive record of scientific achievement, but because it has provided some of the most popular and spellbinding images of the Universe.

Communication professionals have created a variety of media to explain such challenging topics, and indeed, people deserve to have easy access to the media that can help illuminate concepts that affect their daily lives. Astronomy and science communication in general will benefit from facilitating the retrieval and acquisition of space imagery — especially with its associated interpretive materials.

Today, science education evolves against a backdrop of increasing “Web 2.0/3.0” interconnectivity. Increasingly the metaphor for communication and learning moves away from the linear and structured to a more free-form sense of exploration and interactive discovery. This new era of web development is built around models of the interoperability of resources that rely on the standardization of resources.

Opening the vast library of astronomical imagery to the future of web development hinges on forward-looking designs for services that can foster entirely new environments for science engagement and education. It is critical to put the necessary infrastructure in place to make astronomy imagery accessible in a way that it maintains its educational context. This is the goal of the Virtual Astronomy Multimedia Project.

3. The Problem: Haphazard Access to Astronomy Imagery


Images and other multimedia resources are the primary product of astronomy in the eyes of the public. Likewise they represent the most powerful hook for Education and Public Outreach (EPO). Yet even with the latest and greatest web connectivity tools, access to such visual resources is at best haphazard.

Consider the realistic example of an educator searching for images of a specific galaxy for a brochure on astronomy. The idea would be to compare several different views of the galaxy from different observatories. How could this imagery be obtained?

One approach would be to go to a web search engine, type in something like “M51 Galaxy” and look over the resulting pages of “hits”. Even with image-specific engines the results are unsatisfactory. There will likely be dozens of copies of one or two of the most popular images that appear repeatedly on many websites. But usually it will be at low resolution, intended for on-screen and useless for print or broadcast work. Moreover, finding the source site with the highest quality images and the original caption text, may be difficult as it would be buried amongst dozens of other superficially similar results.

Additionally, some other useful examples may not show up at all because they were written up as the “Whirlpool Galaxy” or because there was no searchable text on the page with the name.

Returning to the example, an alternate approach to identify the relevant “M51 Galaxy” imagery would be to search the sites and galleries of a set of individual observatories and missions individually. Alas, each site utilizes a different organizational scheme and requires some expertise to navigate quickly and efficiently. The process of locating a specific image can prove daunting, and exploring the archives to find something new becomes quite time-consuming.



The screenshot shows a Google Images search for "eagle nebula m16". The search results are displayed in a grid of 20 thumbnails, each with a caption and a source URL. The captions include: "M16 Eagle Nebula Photo Gallery", "Resolution Image of Eagle Nebula", "Publication Size - Trifid Nebula", "Eagle Nebula - Dr. Jeff J. Hester", "Image Eagle nebula pillars jpg", "... the Eagle Nebula is both an open...", "... of the Eagle Nebula was taken at...", "... Spire in the Eagle Nebula", "The Eagle Nebula, M16...", "The Eagle Nebula got its name from...", "Eagle Nebula taken Aug 6, 2005.", "Eagle Nebula", "Eagle Nebula. Image credit: Sutter", "What follows is the process of star formation...", "The Eagle Nebula", "The Eagle Nebula is an immense...", "Eagle Nebula * Eagle Text *", "Eagle Nebula - NOAA", and "... spire in the Eagle Nebula". The source URLs include: "www.skyimagelab.com", "www.nasa.gov", "www.nasa.gov", "www.floridamuseum.org", "upload.wikimedia.org", "www.astronsize.com", "heritage.stsci.edu", "hubblesite.org", "www.sofia.usra.edu", "signature.typepad.com", "victoria.nasac.ca", "www.geologynet.com", "www.universetoday.com", "blog.myspace.com", "www.cmos.ac.uk", "www.astrographics.com", "www.kingstheatreweb.com", "www.alposters.com", and "www.spaceeurope.com".

Example: Nine of the top twenty Google Image hits for “Eagle Nebula” are of the same classic Hubble image, but none of them point to the “home” web page for the image. The one Hubble image continues to represent about half of the available hits for many pages of search results, effectively “burying” relevant images from other observatories.

Moreover, even a trained astronomy education professional is not likely to know every possible observatory and gallery. Many viable images would be missed entirely, especially if they come from new or smaller facilities. A targeted search excludes the possibility of serendipitous discovery.

The problem will only intensify over time. Just as most scientific disciplines are currently experiencing a “digital data flood” of exponentially expanding datasets, so too are outreach and education multimedia resources multiplying rapidly. More and more “polished”, public-friendly materials are being made available to press, educators, and lay people on the web. Vast quantities of value-added outreach material are already available on the web today, but they are not linked systematically, and it is therefore next to impossible for the press and public to search these resources in a simple manner.

The explosion of multimedia astronomy resources necessitates practical strategies for intelligent indexing. Even casual photographers are using applications that tag the images with associated metadata (wavelength, telescope, dates, subjects, captions, locations, ratings, etc.). The rich contextual information associated with astronomy multimedia could be a valuable asset in locating desired resources if it can be encapsulated using universal standards.

The absence of an agreed standard for astronomical imagery descriptors dissuades and inhibits innovative developers from using astronomical imagery from many different wavelengths/sources. New methods for accessing and integrating images would have to be developed for each resource. Furthermore, access to the imagery and data may not be uniform over time.

The goal of the Virtual Astronomy Multimedia Project is to develop, implement, and promote critically needed metadata standards, and to provide online resources for finding imagery adhering to these standards.

4. The VAMP Solution

The Virtual Astronomy Multimedia Project (VAMP) will provide an innovative and powerful portal for accessing the broad cross section of astronomy visual imagery resources. The vision is for a “one-stop shopping” experience for all levels of end-users who are seeking images that also provide the basic infrastructure upon which a variety of derivative applications serving any number of audiences can be based.

This challenging task demands consensus and collaboration among the entire EPO community – from the image-processing specialists creating the “pretty pictures,” via the outreach archivists, to the variety of end-users such as educators and innovative web developers. The aim of such a system could be stated as: “To allow EPO resources to be ‘catalogued’ in a virtual repository and accessed by educators, press, students and laypeople through specialized visual tools combined with innovative search strategies”.

Typical VAMP users could be:

- A museum professional gathering source material options for exhibit development.
- A publisher looking for print-quality images of a general phenomenon to illustrate an article.
- A teacher seeking related images in different wavelengths kept in context for her students.
- An innovative website or application that needs to access web-resolution content on-the-fly in response to changing context provided by user interaction/exploration.
- A digital planetarium system that issues a real-time query to locate any high resolution imagery to map into a zoomed-in region of interest.
- A scientist looking for comparative images at a different wavelength from their own research.

VAMP Architecture

VAMP will serve as a sophisticated image source for educators, museums, media & print, astronomers and the public. Some of this potential can be accessed directly through the database interface, but its greatest advantage is the potential to form the basis for interactive and dynamic Web 2.0/3.0 experiences that are developed as client applications.

The VAMP architecture for interactive application interaction follows current trends in distributed web resource management. The image archives reside on their native servers at a variety of sites registered with the VAMP database server, and provide their content via web-accessible metadata indices. Initially the focus will be on integrating the largest key observatories, but the simple web-based “buy-in” process can easily accommodate smaller institutions and amateur observatories that follow the AVM standards.

Though there are strong parallels with search engines, VAMP is better thought of as a robust index of astronomical imagery. The three key elements of the project are:

- the metadata standards for encapsulating the full descriptive context of each image and how the metadata is applied to imagery;
- the database server that pulls or ingests metadata from content providers and then stores and organizes the metadata and remote image locations;
- the search technologies employed to serve out the locations of the images and accompanying metadata.

Institutions and galleries wanting to participate in VAMP will make the image collections that have been tagged with fully descriptive metadata available at the server level. Push and pull methods can be utilized by VAMP in order to collect the metadata and locations for these images as they become available or as changes are made. In response to queries for imagery VAMP returns the descriptive information and links to the original image resources.

It should be noted that VAMP is designed specifically to encompass the “final product” imagery that is a natural result of press release development and other outreach activities. These will be the polished

images with the greatest aesthetic impact from the Chandra X-Ray Observatory, Spitzer Space Telescope, Hubble Space Telescope (STScI), Hubble Space Telescope (ESA), National Optical Astronomy Observatory, and the National Radio Astronomy Observatory. These observatories have already endorsed the VAMP effort and some have begun tagging EPO images. Future scalability will include promoting the VAMP vision and goals to all other recognized astronomical observatories and telescope projects with EPO imagery.

Astronomy Visualization Metadata (AVM)

An image on a website is only as informative as the text that happens to lie near it. VAMP will greatly enhance the value of these assets by tagging astronomical imagery following the Astronomy Visualization Metadata (AVM) standard. This includes key information such as sky coordinates, descriptions, common name, and subject matter (using a standard taxonomy). The International Virtual Observatory Alliance (IVOA) has already endorsed the AVM standard, but it has not gained worldwide recognition partly because of lack of visibility, and partly because of the lack of resources to generate the necessary “momentum” in the community (a well-known obstacle for all standards in the starting phase).

The scope of AVM is specifically tailored to public-friendly astronomical images, allowing systematic indexing of source material even for complex multi-colour composites from multiple observatories. However it also encompasses artist’s concepts and diagrams, simulations, and photography. Ultimately it could be extended to cover a broader range of multimedia resources like videos, podcasts, and so forth. The first phase of VAMP will focus on astronomical imagery and will underpin a larger future effort encompassing all multimedia products related to astronomy.

AVM tags are based on elements from two key standards, tailoring them to the specific needs of outreach-style imagery. The International Press Telecommunications Council (IPTC) has a recommended set of metadata tags for describing photography assets for use in the publishing industry. The IPTC tags are commonly embedded directly within image file headers using Adobe’s Extensible Metadata Platform (XMP), and such tags are used by virtually all media management software packages. Where possible, AVM tags are mapped directly into established IPTC fields to be immediately accessible within these common packages.

The IVOA also has a set of metadata descriptors specific to astronomical datasets. AVM follows these conventions as appropriate. A number of extensions have been defined to address the needs of the outreach community further. Full World Coordinate System (WCS) tags can be used to describe fully the position, orientation, and scale of the image while allowing for a variety of applications requiring the full coordinate context. Libraries of images with WCS coordinates can be used in many ways independent of VAMP: Simple Image Access Protocol (SIAP) server for positional queries, Virtual Observatory (VO) integration etc.

The ancillary benefits of utilizing a standard set of metadata in the community is that image archives with AVM tags will be directly useful to publishers and casual users with media management software due to AVM integration with standard “photographic” IPTC/XMP metadata tags.

Detailed information on the AVM can be found here:
<http://www.ivoa.net/Documents/latest/AOIMetadata.html>

VAMP Server Database

The VAMP database server will be developed by the Infrared Science Archive (IRSA) at the Infrared Processing and Analysis Center at Caltech., IRSA has provided data access for the astronomical community since 2000 and has built archives under contract for the Cosmic Evolution Survey, the W. M. Keck Observatory and the NASA Stellar and Exoplanet Database (NSStED). The IRSA physical archive now houses data from 12 missions; the holdings include over 200 source catalogs, over 10,000,000 images and over 100,000 spectra. IRSA’s web services have received over 25 million hits since 2000, and users have downloaded nearly 60 TB of data. IRSA takes advantage of a highly re-usable information system designed to serve the kinds of data used in astronomy and has no dependence on the wavelength regime. This system consists of re-usable, portable components, written in ANSI-compliant C, that perform the tasks needed to query the archive and return results,

such as composing queries and submitting them to the database, filtering tabular data sets, and building webpages from templates. User interfaces are simply thin layers that accept requests and submit them to the infrastructure underneath. New applications plug together these components and control them with an executive library, which starts the components as child services and parses the return values. New functionality is written as needed and is always integrated into the architecture. Thus IRSA provides access services for all sky missions, observatory missions, and targeted surveys.

Based on the concept of a 'virtual observatory,' the primary deliverable of VAMP would be a digital library that stores, organizes, and delivers metadata on imagery for astronomy and planetary sciences. Distributed databases will store the metadata and online location of each image/media file on the content provider's server. A push/pull communication system between the middleware and observatory servers will manage the influx of metadata to the system. Those wishing to utilize VAMP will subscribe to a web service that communicates directly with VAMP to deliver the metadata and location of the image/media file directly into their applications. The web service will be a simple search engine that will employ many search strategies: metadata filtering, keyword searches, and "intelligent" related content services based on well-designed taxonomies and thesauruses.

The core of the VAMP system will be one or more searchable database tables. These tables will contain all the metadata fields suitable for relational searching (e.g. "ObsDate < 1950." or "Wavelength = IR"), positional searching (e.g. "within 5 degrees of M51"), or keyword/string matching. The data itself is separate from the metadata contained in these tables. The connection will be URL references in the metadata. The data may be simple URL-accessible files, parameterized links to services, or even higher-level references to redundant copies of the data.

Database updates can be made both in push and pull modes: data suppliers can upload metadata at random to be ingested or the facility can collect data from registered suppliers on a regular basis. When there are multiple instances of the VAMP database service, they will also be able to harvest updates from each other. Under any of these scenarios, the data will need to be vetted. For trusted suppliers, this will be nothing more than a validation of the success of the transfer but for less well-known sites this may involve some manual quality checking.

While initially there will be focused effort to consolidate information at a single site (critical mass for initial operations), the architecture will allow for distribution of this metadata across multiple sites. This allows for extension by sub-discipline, load balancing across redundant copies, and backup/failover.

Search and Delivery Strategies

A key element of the database server will be user query forms that can be used for direct queries to the holdings. The real potential exists, however, in the power offered through such a flexible online catalog.

The VAMP search services will most likely be built in compliance with the international Virtual Observatory Table Access Protocol (TAP). Though this is still under development, it is clear that all necessary functionality will be included. In addition, where more complex textual descriptions or fully-populated keyword taxonomies exist, this may be augmented with more free-form "meaning"-based search engines. TAP is content neutral (no specific table columns are pre-defined), so VAMP will still need to set its own schema. This will be a minimum set; it will be possible for specific instantiations of a VAMP database service to extend this schema with information pertinent to a subset of images.

Two search scenarios are identified:

- Low-Level Searching will be via the TAP protocol, which includes all the generic relational queries and spatial constraints. This is functionally equivalent to the spatial/relation query engine already in use at IRSA, so the queries and query throughput measures are well understood.
- High-Level Searching, the interfaces with the actual users, will be implemented as form-driven web pages (users desiring program-friendly interfaces can use the low-level services directly). The form-driven interface will be in direct response to use cases defined by on-going interaction with the user community. There may be more than one key scenario here, but the structure of the data and low-level services make it easy to evolve these quickly as needs evolve.

Typical image search criteria could include:

- All images of a specific object that include one or more specified wavelengths.
- Any emission nebula observed by a specific telescope.
- Images that are of high resolution covering a specific range of coordinates on the sky.
- Images with caption text matching specific search terms.

The VAMP database server is truly intended to be “middleware” and not a stand-alone user experience. It will, however, enable a broad variety of high-level applications that are designed to create user-friendly experiences to explore astronomy imagery in many potentially innovative ways.

“Applications” are defined as any internet-based process that can issue queries to the VAMP server and can parse the match results. Queries can be broad or highly specific, and can cleanly specify any number of astronomy-specific descriptors including coordinates, field of view, observatory, spectral band or specific wavelength, etc. Flags can be set to indicate desired media type, which can include any combination of astronomical image, illustration, simulation visualization, and/or photograph.

The VAMP query will generate a table of metadata descriptors of assets matching the search criteria. The key descriptor will be a URL of the actual image at whatever content provider site it resides. The VAMP server will not maintain copies of all of the assets; it merely manages the metadata and information about the location of the resources in much the same way Google searches return links to the original sites.

The client application can take these resulting matches and either resubmit a refined query, or use its own logic to determine which of the assets it will utilize directly. It then downloads the image using the provided link from its home server; the VAMP server only manages the metadata and does not hold the image files itself.

5. VAMP Prototype and Pilot Applications

The most basic application is just a user-friendly web-form for searching the VAMP server. This application will be one of the primary deliverables developed and maintained by *WP3 Middleware/Core Development*, and will have individual interfaces geared to serve the needs of both casual and advanced users.

There are, however, far more innovative applications that can use this middleware infrastructure to create new kinds of interactive experiences for virtual explorations of an annotated Universe. This will be made possible by a web query interface that can deliver results directly to web or desktop applications. Here the planned VAMP prototype and pilot applications are described.

Museum AstroKiosk

A museum space or planetarium queuing area could be filled with an interactive exhibit that would make use of tagged data. Multiple video projectors would cover walls with (captioned) imagery culled from VAMP, providing an aesthetic experience that could be passive or interactive — perhaps a touchscreen would allow visitors to direct queries in a specified direction or permit a presentation mode by a museum interpreter. Segues between images could make use of the metadata tagging to show what part of the spectrum the image was taken in or what part of the sky it originated from. If used in a queuing area, the metadata tags could be selected to coordinate imagery with show topics, so visitors waiting to see a program about star formation would be treated to images of the Orion Nebula, the Eagle, and other HII regions.

This prototype application is being managed by Ryan Wyatt at the California Academy of Sciences.

Planetarium Visualization

Planetariums are increasingly shifting away from static star projection systems in favour of real-time dynamic star position simulations that include 3D representations of the local planet, star and galaxy environments. Potentially this technology can accommodate the integration of up-to-the-minute imagery and media content. A presenter might access VAMP to find the latest observation of a particular object, then automatically show the location of the object on the sky, review the caption to provide useful details about the observation (while the text remained invisible to the audience), and perhaps even “fly” to the location of the object in three-dimensional space. Questions from the audience could be met with an instantaneous response, executing an additional search and culling relevant imagery rapidly and without fear of pulling up inappropriate or irrelevant content (or wasting time on a fruitless search). Importantly, planetarium presenters would have the opportunity to contextualize the latest content with the existing resources at their disposal.

VAMP will actively pursue collaboration with the UniView developers to find ways of integrating real-time navigation of content drawn from web assets. UniView is the heart of the Digital Universe planetarium system developed by the American Museum of Natural History. The Digital Universe is used in planetariums around the country which could benefit from the expanded content options offered through VAMP.

As part of its ongoing development, VAMP will make the extended planetarium community aware of the potential for collaboration, so integration with other commercial systems, like Evans and Sutherland’s Digistar 3 system and SkyScan’s Digital Sky, is possible as well.

This prototype application is being managed by Ryan Wyatt at California Academy of Sciences. Collaborators include Carter Emmart and Brian Abbott of the American Museum of Natural History, SKISS, and Skyskan.


Online Sky Navigation Software

A new generation of server-based software giving users access to full-sky imagery at multiple layers of resolution is under current development. The metaphor follows the Google Maps structure of allowing

users to zoom in and out of a map, downloading image tiles as needed at whatever resolution is currently being viewed. This provides a user with a rich visual space to navigate by keeping the bulky datasets on web servers and only delivering the data needed for the current view.

Two such initiatives that are underway include Google's "Sky in Google Earth" and Microsoft's "World Wide Telescope 2.0" (WWT). Microsoft has endorsed VAMP and has expressed interest in integrating VAMP infrastructure into the WWT as it becomes available.

Microsoft's World Wide Telescope 2.0



The vision of the World Wide Telescope 2.0 is to provide a common infrastructure so that multiple surveys, over time, can all share a common intuitive browsing platform that allows for seamless exploration of the universe augmented by the creation of narratives and paths through the virtual sky. Linked contextual narratives will help learners understand what they are seeing as well as connecting them to related deeper information and rich media that can foster a deeper understanding of astronomy and science.

Both children and adults who are interested in astronomy but don't have a telescope will learn from the linked narratives, understand what they are seeing and go as deep as they choose, exploring the virtual sky and accessing the source data underneath to potentially make discoveries of their own. WWT will enable astronomers, education and public outreach individuals to easily create guided tours through the sky referencing objects in context and benefitting from the common resources and links that WWT will provide.

Eventually everyone will be able to create and share their explorations through the virtual sky, thereby extending and empowering an ever-growing audience who want to know more about the Universe.

The contextually rich information and media available through the VAMP portal is a natural fit with the WWT structure. Images that have full coordinate metadata can be easily overlaid, registered at the

correct positions in the sky and benefit from other WCS location specific information to provide additional contextual information such as captions about the various overlaid views of any object.

Curtis Wong of Microsoft Research is the lead collaborator for WWT.

Desktop Planetarium Software


Many desktop planetarium packages exist for home users, ranging from open source to affordable commercial projects. Unlike the server-based systems of Microsoft and Google, these dynamically generate sky views from internal star databases, but increasingly they offer image cutout overlays to augment the stellar diagrams. Since most home users are now regularly online, these software packages rely on frequent online updates of satellite ephemeris, comets, asteroids, and the like. In addition, there is limited disk space for installation packages and only hundreds of detailed images, not the thousands that exist today are included in the software for shipment. Therefore, it is not unreasonable that online updates can be used to download and integrate new astronomical imagery seamlessly as it is published by EPO website and consumed by VAMP.

Lars Lindberg Christensen (ESA/Hubble) manages this prototype effort.

Redshift, Starry Night

One of the leading planetarium programs in the world, Redshift, produced by Maris Technologies, has endorsed VAMP and is ready to build VAMP access into a future version of Redshift. Similar collaborations are possible with other developers, like Starry Night, as the VAMP infrastructure is put into place and the community is made aware of its potential.

Stellarium



The image shows a screenshot from the community-supported (1 million downloads) desktop planetarium program *Stellarium* <http://www.stellarium.org/> with the new *VirGO* plug-in. *VirGO* is developed by ESO's Virtual Observatory Systems department. This prototype will show how *Stellarium*'s 300 million star sky, seamlessly moved in real-time, is littered with thousands and thousands of "footprints" from real *ESO* science data, and allows access to associated metadata and science data previews. For the well-known deep-sky objects the user will be presented with multiple PR images from multiple sources (i.e. *Hubble*, *Chandra*, *Spitzer*, *VLT* etc) and access to some of the embedded metadata.

The plug-in interfaces with the ESO archive metadata and can show the footprints of thousands upon thousands of imaging datasets on the sky - for instance in a 20x20 degree field - in real time. Imagine Orion littered with little boxes, each signifying a VLT or other observation. The program is vector-based (ie seamless, very fast and smooth). There is also a DSS overlay, although this is fetched in realtime and so is currently limited to one degree squares and less. Some pretty-picture jpg previews are implemented. Anyone can order science data from the archive with one click.

Lars Lindberg Christensen (ESA/Hubble) manages this prototype effort. Collaborators include Robert Hurt, Amit Kapadia (ESA/Hubble), Lars Holm Nielsen (ESA/Hubble), and Adrienne Gauthier.

6. VAMP Operations

VAMP is a collaborative project between individuals representing Spitzer Science Center, ESA/Hubble, California Academy of Sciences, IPAC/IRSA, and the University of Arizona. Key personnel at major observatories and end-application development organizations have endorsed the project and are committed to seeing success. The three main locations for VAMP development will be IPAC in Pasadena, California, USA, ESA/Hubble in Munich, Germany and California Academy of Sciences (CalAcad), San Francisco, USA.

VAMP is organized into 4 work packages: *WP1 Management* managed by Adrienne Gauthier, *WP2 Metadata* managed by Robert Hurt, *WP3 Middleware/Core Development* managed by Bruce Berriman and *WP4 Prototypes* managed by Lars Lindberg Christensen.

A Steering Committee oversees the project. The Executive Manager is the WP1 manager Adrienne Gauthier.

Steering Committee

The steering committee for the VAMP project became a formal collaboration at the Astro-viz 2006 Workshop in Pasadena in November 2006. Members of this the steering committee are: Adrienne Gauthier (University of Arizona), Lars Lindberg Christensen (ESA/Hubble), Robert Hurt (Spitzer Science Center/IPAC), and Ryan Wyatt (California Academy of Sciences). Prior to November 2006, VAMP lived as the "Virtual Repository" working group of the International Astronomical Union (IAU)'s Communicating Astronomy with the Public Commission (IAU Division XII Commission 55). VAMP is still a Working Group under this commission. Adrienne Gauthier (University of Arizona) is chair of the IAU Commission 55 Working Group.

The Steering Committee members are:

Adrienne Gauthier, M.Ed. is an instructional technologist/designer at Steward Observatory, University of Arizona. She specializes in online learning environments and recently became involved in the possibilities of the multi-user virtual environment Second Life as it relates to astronomy & astrobiology undergraduate education and EPO endeavors. Past projects include lesson plans to integrate Starry Night into middle school classrooms, lesson resources for Spitzer Science Center's *Cool Cosmos* site, and designing/facilitating *Invisible Universe Online for Teachers*, an online course about multiwavelength astronomy for teachers. At the UA Adrienne manages the *Astronomica* project, a suite of digital tools for undergraduate and EPO astronomy content. *Astropedia*, a multimedia online astronomy encyclopedia, encompasses many smaller projects like video production, podcast engineering, graphic design, user interface design, and metadata/content management. She enjoys leading various star parties around Tucson, helping to inspire the public with the wonders of astronomy.

Lars Lindberg Christensen is a science communication specialist heading the Hubble European Space Agency Information Centre group in Munich, Germany. Here, he is responsible for public outreach and education for the NASA/ESA Hubble Space Telescope in Europe.

He obtained his Master's Degree in physics and astronomy from the University of Copenhagen, Denmark. Before assuming his current position, he spent a decade working as a science communicator and technical specialist for Tycho Brahe Planetarium in Copenhagen.

Lars has more than 100 publications to his credit, most of them in popular science communication and in its theory. His other productive interests lie in the areas of graphical communication, written communication, technical communication and scientific communication. He has written several books, for instance *The Hands-On Guide to Science Communicators* (Springer, 2006) and *Hubble – 15 Years of Discovery* (Springer, 2006). His books have been translated to Finnish, Portuguese, Danish, German and Chinese.

He has produced material for a multitude of different media from star shows, laser shows and slide shows, to web, print, TV and radio. His methodology is focused on devising and implementing innovative strategies for the production of efficient science communication and educational material. This work involves working with highly skilled graphics people and technicians, some results of which are visible at: <http://www.spacetelescope.org>

He is Press Officer for the International Astronomical Union (IAU), a founding member and secretary of the IAU Commission 55 Communicating Astronomy with the Public (<http://www.communicatingastronomy.org>), manager of the world-renowned ESA/ESO/NASA Photoshop FITS Liberator project, Outreach & Education Coordinator for the European Virtual Observatory and is the Executive producer and director of the science documentary movie Hubble – 15 Years of Discovery (~800,000 copies distributed). Lars received the Tycho Brahe Medal in 2005 as the youngest recipient so far for his achievements in science communication.

Dr. Robert Hurt is an astronomer currently working on NASA's Spitzer Space Telescope mission, an infrared counterpart to the Hubble Space Telescope. In his role of visualization scientist, Dr. Hurt oversees the various elements of visual communication for public affairs and outreach efforts. These include data renderings, artist's concepts, and more general topics of visual communication of science. Current interests include developing metadata standards for astronomical imagery and the Virtual Astronomy Multimedia Project. He received his Ph.D in physics from UCLA in 1993 for a study of gas dynamics in starburst galaxies, and other research areas of interest include star formation and active galaxies.

Ryan Wyatt is an astronomer and is the Director of the Morrison Planetarium and Science Visualization at the California Academy of Sciences. Ryan was formerly science visualizer at the American Museum of Natural History.

Management Work Package

The Management work package is managed by Adrienne Gauthier (University of Arizona). It has the responsibility for creating an active communication environment for knowledge, information exchange and decision making between the project members throughout the project duration. This is in order to put the project deliverables to effective use. Deliverables include an internal/external project website¹, creating a virtual community of practice, organizing meetings with full project team, forming relationships and offering support to the external stakeholders, defining and evaluating implementation plans with other work packages, reporting, and project evaluation. An additional important task in the early phase of the project is fund-raising.

This Work Package is already active working on the VAMP vision. Presentations to gauge community interest have taken place at the Astro-viz 2006 Workshop in Pasadena and the Jan 2007 American Astronomical Society meeting and recently at the Astronomical Society of the Pacific's annual EPO conference in October 2007. Upcoming in fall 2007, Ms. Gauthier will be on a sabbatical from her UA position to work with Mr. Christensen and his web developers at ESA/Hubble on preliminary prototype applications and to begin more formal collaborations with the major observatories. Oral presentations will be given by all steering committee members at the Communicating Astronomy with the Public conference in October 2007 in Athens.

Metadata Work Package

The primary responsibility of the Metadata Work Package is to develop a stable set of metadata descriptors and tools for astronomical visualization multimedia based on AVM 1.0 and promote these among the community. Members include Robert Hurt, Lars Lindberg Christensen and Adrienne Gauthier with some participation by colleagues at CXC/NASA and Space Telescope Science Institute.

VAMP will utilize the International Virtual Observatory Alliance (IVOA) endorsed outreach metadata standard, Astronomical Visualization Metadata 1.0 (AVM) and help support observatories in adopting and adhering to these standards. The standard includes both the metadata schema for describing outreach images and the method by which the metadata may be embedded within the image file.

¹ Virtualastronomy.org

We will form relationships and agreements with content providers to maintain the integrity of project goals. A further development of this standard is foreseen as part of the work of this Work Package.

Deliverables include providing access to a solid multiplatform WCS tool (for instance WCS Tool or astrometry.net), simple metadata tagging tools in Photoshop or a simple web form gadget, developing the AVM standard v.2.0, communicating with, educating, and supporting the astronomical image processors and EPO leads during migration to the AVM standard, maintaining a support/information website, and gathering the very important community feedback as the AVM is implemented both at observatories and with innovative multimedia developers. Furthermore the WP will lead the work of tagging of several of the large observatory image archives such as Hubble, Spitzer and Chandra.

Middleware/Core Development Work Package

The primary responsibility of the Middleware/Core Developers work package is to design, develop, and implement the core VAMP middleware system and process. Members include Bruce Berriman and John Goode both of IPAC/IRSA and Lars Holm Nielsen at ESA/Hubble.

The primary responsibility of this Work Package is to design, implement, and support the reference implementation database structure for VAMP. This include the ingest processes and procedures, the low-level search services, and the user-interface search forms.

Deliverables include designing and implementing a database schema and operational database, ingesting services, TAP search services, and a web-form VAMP Server prototype search interface.

Prototypes Work Package

The primary responsibility of the Prototypes Work Package is to develop interfaces and working prototypes for Stellarium, World Wide Telescope, Google Earth/Sky and Redshift as well as for the Planetarium visualization and Museum AstroKiosk prototypes. The WP is led by Lars Lindberg Christensen (ESA/Hubble).

If you are interested in collaborating with VAMP or representing your organization in endorsing the project, please email Adrienne Gauthier, agauthier@as.arizona.edu